


INDEX.

	Page		Page
Acanthotrachelus albus, <i>Pasc.</i>	447	Anænomus rubiginus, <i>Pasc.</i>	472
Acheron, <i>Lefebvre</i>	265	Annelida and Gephyrea, Description of some new species of, in the collection of the British Museum, by Dr. Baird	94
— longus, <i>Walk.</i>	265	Anthraxia proteus, <i>E. Saund.</i>	511
Acicnemis brevipennis, <i>Pasc.</i>	463	— <i>Pasc.</i>	161
— frenata, <i>Pasc.</i>	461	— eupleura, <i>Pasc.</i>	161
— meriones, <i>Pasc.</i>	462	Aonychus luctuosus, <i>Pasc.</i>	477
— pachymera, <i>Pasc.</i>	462	Aparcte, <i>Pasc.</i>	165
— palliata, <i>Pasc.</i>	462	— palpebrosa, <i>Pasc.</i>	166
— pardalis, <i>Pasc.</i>	460	Aphanisticus antennatus, <i>E. Saund.</i>	518
— peduncularis, <i>Pasc.</i>	461	— collaris, <i>E. Saund.</i>	518
— subsignata, <i>Pasc.</i>	461	— congener, <i>E. Saund.</i>	518
Aclees porosus, <i>Pasc.</i>	172	Aphyoda, <i>Pasc.</i>	214
— Gyllenhallii, <i>Pasc.</i>	172	— brenthoides, <i>Pasc.</i>	215
Acmonotus, <i>M^cLachlan.</i>	253	— diura, <i>Pasc.</i>	215
— incusifer, <i>M^cLach.</i>	253	Apocyrtes erosus, <i>Pasc.</i>	156
Æsychora, <i>Pasc.</i>	209	— nitidulus, <i>Pasc.</i>	157
— notaticollis, <i>Pasc.</i>	210	— satelles, <i>Pasc.</i>	157
Agapetus celatus, <i>M^cLach.</i>	139	— Wallacci, <i>Pasc.</i>	156
Agilaua, <i>Pasc.</i>	176	Aprics, <i>Pasc.</i>	196
— pedestris, <i>Pasc.</i>	177	— cremita, <i>Pasc.</i>	196
Agriilus auriventris, <i>E. Saund.</i>	517	— palliatus, <i>Pasc.</i>	196
— cyaneoniger, <i>E. Saund.</i>	515	Apteryx, On the skeleton of the, by Thomas Allis	523
— discalis, <i>E. Saund.</i>	514	Ariadne ionica, <i>Cambridge</i>	532
— maculifera, <i>E. Saund.</i>	514	Artichoke-gall, Note on a Chinese, allied to the European Artichoke-gall of <i>Aphilothrix gemma</i> , Lin., by Albert Müller	428
— marginicollis, <i>E. Saund.</i>	516	Ascalaphidae, An attempt towards a systematic classification of the family, by R. M ^c Lachlan	219
— mœrens, <i>E. Saund.</i>	517	Ascalaphodes, <i>M^cLach.</i>	272
— pilosovittata, <i>E. Saund.</i>	515	— canifrons, <i>Westwood</i>	272
— rotundicollis, <i>E. Saund.</i>	517	Ascalaphomerus, <i>Walk.</i>	121
— subrobustus, <i>E. Saund.</i>	516	Ascalaphus, <i>Fabricius</i>	272
— trinotatus, <i>E. Saund.</i>	513	— bœticus, <i>Ramb.</i>	274
— viridi-obscurus, <i>E. Saund.</i>	515	— coccajus, <i>Wiener Verzeichniss.</i>	274
Agrypnia Pagetana, <i>Curtis</i>	105	— corsicus, <i>Ramb.</i>	274
— picta, <i>Kol.</i>	105	— hispanicus, <i>Ramb.</i>	274
Aleides auritus, <i>Pasc.</i>	182	— ictericus, <i>Charp.</i>	274
— erro, <i>Pasc.</i>	182	— italicus, <i>Fab.</i>	274
— fastuosus, <i>Pasc.</i>	182	— Kolyvancensis, <i>Lazmann</i>	274
— frontalis, <i>Pasc.</i>	183	— lacteus, <i>Brullé</i>	274
— magister, <i>Pasc.</i>	181		
— micronychus, <i>Pasc.</i>	183		
Allis, Thomas. On the skeleton of the Apteryx	523		
Amalthus, <i>Pasc.</i>	211		
— insignis, <i>Pasc.</i>	212		
Amydala, <i>Pasc.</i>	213		
— abdominalis, <i>Pasc.</i>	213		
Anænomus, <i>Pasc.</i>	472		



	Page		Page
of the Curculionidæ, by F. P.		Dotes, <i>Pasc.</i>	212
<i>Pascoe</i>	154, 440	— <i>albo-pictus, Pasc.</i>	212
<i>Cordulceærus, Rambur</i>	242	<i>Dystirus, Pasc.</i>	447
— <i>Maclachlani, De Selys</i>	244	— <i>strumosus, Pasc.</i>	447
— <i>subiratus, Walk.</i>	245	<i>Echiurus farcimen, Baird</i>	97
— <i>surinamensis, Fabr.</i>	245	<i>Ectatorhinus Adamsii, Pasc.</i>	478
— <i>unicus, Walk.</i>	245	— <i>femoratus, Pasc.</i>	478
— <i>villosus, Palis. de Beauv.</i>	244	<i>Ectinura, Pasc.</i>	170
— <i>vulpecula, Burmeister</i>	243	— <i>brenthoides, Pasc.</i>	171
<i>Cormodes, M'Lach.</i>	239	<i>Ectyrsus, Pasc.</i>	177
— <i>intractabilis, Walk.</i>	239	— <i>villosus, Pasc.</i>	178
<i>Coræbus ignotus, E. Saund.</i>	512	<i>Encyoposis, M'Lach.</i>	262
<i>Cryptaspis, Pasc.</i>	476	— <i>amicus, M'Lach.</i>	263
— <i>amplicollis, Pasc.</i>	476	— <i>festivus, Rambur</i>	264
<i>Cryptodactylus auriceps, E. Saund.</i>	513	— <i>flavilinea, Walk.</i>	262
Curculionidæ, Contributions to-		— <i>longistigma, M'Lach.</i>	263
wards a knowledge of the, by F.		— <i>rufopictus, Walk.</i>	263
P. Pascoe	154, 440	<i>Endymia, Pasc.</i>	199
Cutaneous exudation of the <i>Triton</i>		— <i>vipio, Pasc.</i>	200
<i>cristatus</i> , or great Water-Newt,		<i>Entimus arrogans, Pasc.</i>	448
Observations on the, by Miss		<i>Episomus sumbriatus, Pasc.</i>	158
Eleanor Ormerod	493	— <i>iconicus, Pasc.</i>	159
<i>Cyehrotonus, Pasc.</i>	162	— <i>turritus, Pasc.</i>	158
— <i>viduatus, Pasc.</i>	163	<i>Erebaces, Pasc.</i>	187
<i>Cycotida, Pasc.</i>	453	— <i>angulatus, Pasc.</i>	187
— <i>lineata, Pasc.</i>	454	— <i>pleuricausta, Pasc.</i>	187
<i>Cylindromorphus japonensis, E.</i>		<i>Ercthistes, Pasc.</i>	471
<i>Saund.</i>	519	— <i>congestus, Pasc.</i>	472
<i>Cynoglossus dubius, Day</i>	525	— <i>licheneus, Pasc.</i>	471
— <i>macrolepidotus, Bleeker</i>	525	— <i>leucospilus, Pasc.</i>	471
<i>Cyrtogenia, Pasc.</i>	443	— <i>ochriventris, Pasc.</i>	472
— <i>dispar, Pasc.</i>	443	<i>Euomus retusus, Pasc.</i>	449
Day, Francis. On some new fishes		<i>Eupiona, Pasc.</i>	161
of India	524	— <i>attalica, Pasc.</i>	161
<i>Demenica, Pasc.</i>	159	European spiders, On some new	
— <i>compressa, Pasc.</i>	160	Species of, by the Rev. O. P.	
<i>Derctiosus, Pasc.</i>	184	Cambridge	530
— <i>aridus, Pasc.</i>	185	<i>Eurypagæ, Pasc.</i>	489
Descriptions of Buprestidæ col-		— <i>pennatus, Pasc.</i>	489
lected in Japan by George		<i>Euthyrhinus iconicus, Pasc.</i>	477
Lewis, Esq., by Edward Saun-		— <i>pictus, Pasc.</i>	477
ders	509	Evolution under one set of external	
<i>Dexagia, Pasc.</i>	166	conditions, On diversity of,	
— <i>superciliaris, Pasc.</i>	166	by Rev. J. T. Gulick	496
<i>Dialeptopus granulatus, Pasc.</i>	449	Fishes of India, On some new, by	
— <i>plantaris, Pasc.</i>	449	Surgeon-Major Francis Day	524
— <i>serricollis, Pasc.</i>	449	Gall, Note on a Chinese Artichoke-,	
<i>Diatassa, Pasc.</i>	192	allied to the European Artichoke-	
— <i>phalerata, Pasc.</i>	193	gall of <i>Aphilothrix gemmæ</i> , Linn.,	
<i>Dicordylus amœnus, Pasc.</i>	176	by Albert Müller	428
— <i>luctuosus, Pasc.</i>	176	<i>Ganonema, M'Lach.</i>	126
— <i>pupillatus, Pasc.</i>	175	— <i>molliculum, Walk.</i>	127
<i>Dictyna lugubris, Camb.</i>	535	— <i>vicarium, Walk.</i>	127
<i>Dinarthrum, M'Lach.</i>	116	Garner, Robert. On the formation	
— <i>ferox, M'Lach.</i>	118	of British Pearls and their possible	
Diversity of evolution under one set		improvements	426
of external conditions, by the			
Rev. J. T. Gulick	496		

	Page		Page
Genyoroqe melanura, <i>Rüpp.</i>	524	Holostomis phalænoides, <i>Linn.</i>	104
Geobyrsa, <i>Pasc.</i>	450	Hybris, <i>Lefebvre</i>	266
— nodifera, <i>Pasc.</i>	450	— angulata, <i>Westw.</i>	267
Geographical distribution and dispersion of insects, Notes on the, by Roland Trimen	276	— cervina, <i>Haagen</i>	267
Geographical distribution of the diurnal Lepidoptera, On the, compared with that of the birds, by W. F. Kirby	431	— javana, <i>Burm.</i>	267
Geographical relations, On the, of the chief Coleopterous fauna, by A. Murray	1	— subjacens, <i>Walk.</i>	267
Glechinus, <i>Pasc.</i>	184	Hydropsyche colonica, <i>M'Lach.</i>	131
— talpa, <i>Pasc.</i>	184	— mauritanica, <i>M'Lach.</i>	133
Glyphagia, <i>Pasc.</i>	201	— modica, <i>M'Lach.</i>	133
— insculpta, <i>Pasc.</i>	201	Hylobius aphyæ, <i>Pasc.</i>	170
Glyptobasis, <i>M'Lach.</i>	268	— fasciatus, <i>Pasc.</i>	168
— dentifera, <i>Westw.</i>	268	— notatus, <i>Pasc.</i>	169
— incusans, <i>Walk.</i>	268	— papulosus, <i>Pasc.</i>	170
Glyptospermum madraspatanum, <i>Day</i>	526	— rubidus, <i>Pasc.</i>	169
Grammataulius brevilinea, <i>M'Lach.</i>	107	— serofa, <i>Pasc.</i>	169
Guioyperus eques, <i>Pasc.</i>	476	Hypermetra, <i>Pasc.</i>	167
Gulick, Rev. J. S. On diversity of evolution under one set of external conditions	496	— analis, <i>Pasc.</i>	167
Haplogenius, <i>Burmeister</i>	233	Idricerus, <i>M'Lach.</i>	240
— albostigma, <i>Walk.</i>	236	— decrepitus, <i>Walk.</i>	240
— arenosus, <i>Walk.</i>	237	— obscurus, <i>Westw.</i>	241
— costatus, <i>Burm.</i>	234	Inozetes, <i>Pasc.</i>	479
— damnosus, <i>Walk.</i>	236	— petechialis, <i>Pasc.</i>	479
— flavicornis, <i>M'Lach.</i>	235	Insects, Notes on the geographical distribution and dispersion of, by Roland Trimen	276
— immaeulatus, <i>Olivier</i>	238	—, On the origin of, by Sir John Lubbock	422
— impediens, <i>Walk.</i>	238	Ithaura, <i>Pasc.</i>	215
— iniquus, <i>Walk.</i>	237	— strangulata, <i>Pasc.</i>	216
— injurius, <i>Walk.</i>	236	Ixalina, <i>Pasc.</i>	214
— leucostigma, <i>Walk.</i>	235	— rufescens, <i>Pasc.</i>	214
— microcerus, <i>Rambur</i>	235	Ixodius, <i>Pasc.</i>	448
— subcostatus, <i>Burm.</i>	236	— ocellus, <i>Pasc.</i>	448
— terminalis, <i>M'Lach.</i>	235	— sordidus, <i>Pasc.</i>	448
Helcopteryx, <i>M'Lach.</i>	271	Keropia crassirostris, <i>Gml.</i> ("Piopio"), Notes on, by T. II. Potts	505
— rhodiogramma, <i>Rambur</i>	271	Kirby, W. F. On the geographical distribution of the diurnal Lepidoptera compared with that of the birds	431
Helicomitus, <i>M'Lach.</i>	261	Læmosaccus catenatus, <i>Pasc.</i>	180
— dicax, <i>Walk.</i>	262	— electilis, <i>Pasc.</i>	180
— immotus, <i>Walk.</i>	262	— notatus, <i>Pasc.</i>	180
— insimulans, <i>Walk.</i>	261	— peccuarius, <i>Pasc.</i>	180
— profanus, <i>Walk.</i>	262	— ustulus, <i>Pasc.</i>	181
— verbosus, <i>Walk.</i>	262	Lagenorhynchus albostris, <i>Gray</i> , Notes on the White-beaked Bottle-nose, by Dr. Murie	141
Heteroplectron, <i>M'Lach.</i>	123	Latychus, <i>Pasc.</i>	486
— californicum, <i>M'Lach.</i>	125	— rivulosus, <i>Pasc.</i>	486
Hexymus, <i>Pasc.</i>	188	Lepidoptera, On the geographical distribution of the diurnal Lepidoptera compared with that of the birds, by W. F. Kirby	431
— monachus, <i>Pasc.</i>	485	Lewis George, Descriptions of	
— tuberosus, <i>Pasc.</i>	188		
Histiophorus brevirostris, <i>Playfair</i>	525		
Holostomis atrata, <i>Lepchn.</i>	104		
— Maclaclani, <i>White.</i>	103		
— melaleuca, <i>M'Lach.</i>	104, 106		

	Page		Page
Buprestidæ collected in Japan by, by Edward Saunders	509	Nedymora, <i>Pasc.</i>	209
Light-giving Coleopterous larva, Observations on a, by Dr. Bur- meister.	416	— ventricosa, <i>Pasc.</i>	209
Linyphia lepida, <i>Camb.</i>	539	Nemacheilus chryseus, <i>Day</i>	529
Lubbock, Sir John. On the origin of insects	422	— pulchellus, <i>Day</i>	528
Lumbricus Guildingi, <i>Baird</i>	96	Nemestra, <i>Pasc.</i>	454
— juliformis, <i>Baird</i>	96	— incerta, <i>Pasc.</i>	455
— rubro-fasciatus, <i>Baird</i>	97	Neophylax, <i>M'Lach.</i>	111
M'Lachlan, R. An attempt to- wards a systematic classification of the family Ascalaphidæ	219	— concinnus, <i>M'Lach.</i>	111
— On new forms, &c., of extra- European Trichopterous insects	98	Nephoneura, <i>M'Lach.</i>	269
Macronema digramma, <i>M'Lach.</i>	131	— capensis, <i>Fab.</i>	269
— polygrammatum, <i>M'Lach.</i>	129	— collusor, <i>M'Lach.</i>	269
Megascolex antarctica, <i>Baird</i>	96	Nephthys impressa, <i>Baird</i>	94
— Sanctæ-Helenæ, <i>Baird</i>	96	— lutea, <i>Baird</i>	95
Melambrotus, <i>M'Lach.</i>	241	— Macandrewi, <i>Baird</i>	94
— simia, <i>M'Lach.</i>	241	Neuronia clathrata, <i>Kol.</i>	105
Mesoprius Johnii, <i>Bloch</i>	524	— concatenata, <i>Walk.</i>	105
Methyorrhina, <i>Pasc.</i>	487	— lapponica, <i>Hagen</i>	105
— hispida, <i>Pasc.</i>	487	— ocellifera, <i>Walk.</i>	105
Metrania, <i>Pasc.</i>	481	— ocelligera, <i>Walk.</i>	105
— palliata, <i>Pasc.</i>	482	— pardalis, <i>Walk.</i>	104
Metyrus, <i>Pasc.</i>	482	— postica, <i>Walk.</i>	104
— collaris, <i>Pasc.</i>	482	— reticulata, <i>Linn.</i>	105
Mitophorus vittatus, <i>Pasc.</i>	154	— ruficus, <i>Scop.</i>	105
Mitrephorus albifrons, <i>Pasc.</i>	185	— semifasciata, <i>Say</i>	104
— capucinus, <i>Pasc.</i>	186	— Stålii, <i>M'Lach.</i>	105
Monastes Staintoni, <i>Camb.</i>	542	Niphades, <i>Pasc.</i>	174
Müller, Albert. Note on a Chinese Artichoke-gall allied to the Eu- ropean Artichoke-gall of <i>Aphilo- thrix gemmæ</i> , Linn.	428	— costatus, <i>Pasc.</i>	174
Muric, Dr. Notes on the White- beaked Bottle-nose, <i>Lagenorhyn- chus albirostris</i> , Gray	141	— pardalotus, <i>Pasc.</i>	174
Murray, Andrew. On the geogra- phical relations of the chief Co- leopterous faunæ	1	Nosopus, <i>M'Lach.</i>	114
Nædus, <i>Pasc.</i>	474	— podager, <i>M'Lach.</i>	116
— bivittatus, <i>Pasc.</i>	474	Notes on <i>Keropia crassirostris</i> , Gml. ("Piopio"), by T. H. Potts	505
Neclyrus, <i>Pasc.</i>	203	Notes on the geographical distribu- tion and dispersion of insects, by Roland Trimen	276
— funebris, <i>Pasc.</i>	206	Notidobia griscola, <i>M'Lach.</i>	112
— geniculatus, <i>Pasc.</i>	205	— nigricula, <i>M'Lach.</i>	113
— lemur, <i>Pasc.</i>	204	Nychiomma, <i>Pasc.</i>	456
— notatus, <i>Pasc.</i>	206	— testacea, <i>Pasc.</i>	456
— paniscus, <i>Pasc.</i>	205	Observations on a light-giving Co- leopterous larva, by Dr. Bur- meister	416
— porcatus, <i>Pasc.</i>	206	Observations on the cutaneous ex- udation of the <i>Triton cristatus</i> , or Great Water-Newt, by Miss Eleanor Ormerod	493
— puncticollis, <i>Pasc.</i>	204	Œcobius ionicus, <i>Camb.</i>	531
— ruidus, <i>Pasc.</i>	205	Ogcogaster, <i>Westw.</i>	264
— satyrus, <i>Pasc.</i>	207	— segmentator, <i>Westw.</i>	265
Nedyleda, <i>Pasc.</i>	455	— tessellata, <i>Westw.</i>	265
— semiusta, <i>Pasc.</i>	455	Omphasus, <i>Pasc.</i>	178
		— æratus, <i>Pasc.</i>	178
		Omydaus, <i>Pasc.</i>	198
		— plinthoides, <i>Pasc.</i>	199
		Onychopoma, <i>Pasc.</i>	445
		— purda, <i>Pasc.</i>	445
		Oplryota, <i>Pasc.</i>	451

	Page		Page
Ophryota squamibunda, <i>Pasc.</i>	451	Perissops iliacus, <i>Pasc.</i>	194
Origin of insects, On the, by Sir J. Lubbock	422	— mundus, <i>Pasc.</i>	194
Ormerod, Miss Eleanor. Observations on the cutaneous exudation of the <i>Triton cristatus</i> , or Great Water-Newt	493	Petosisis cordipennis, <i>Pasc.</i>	485
Orochleosis, <i>Pasc.</i>	194	Philodromus torquatus, <i>Camb.</i>	545
— annularis, <i>Pasc.</i>	195	Phanomerus exilis, <i>Pasc.</i>	490
— flesina, <i>Pasc.</i>	195	— notatus, <i>Pasc.</i>	490
— solea, <i>Pasc.</i>	195	Phryganca cinerea, <i>Walk.</i>	103
Orphne, <i>Lefebvre</i>	252	— grandis, <i>Linn.</i>	102
— impavida, <i>Walk.</i>	252	— japonica, <i>M^r Lach.</i>	102
— macrocera, <i>Burm.</i>	252	— minor, <i>Curtis</i>	103
Osseteris, <i>Pasc.</i>	479	— obsolcta, <i>M^r Lach.</i>	103
— scutellaris, <i>Pasc.</i>	480	— sordida, <i>M^r Lach.</i>	103, 106
Ostocochilus malabaricus, <i>Day</i>	527	— striata, <i>Linn.</i>	103
Otolithus brunnescens, <i>Day</i>	524	— varia, <i>Fab.</i>	103
Ottistira, <i>Pasc.</i>	440	— vestita, <i>Walk.</i>	103
— bicornis, <i>Pasc.</i>	441	Pithecomus, <i>Pasc.</i>	487
— bispinosa, <i>Pasc.</i>	440	— ursulus, <i>Pasc.</i>	488
— gibbosa, <i>Pasc.</i>	442	Platyomicus cordipennis, <i>Pasc.</i>	162
— leucogenys, <i>Pasc.</i>	442	— pedestris, <i>Pasc.</i>	162
— naso, <i>Pasc.</i>	442	Platyphylax, <i>M^r Lach.</i>	109
— ocularis, <i>Pasc.</i>	441	— lanuginosus, <i>M^r Lach.</i>	110
— planidorsis, <i>Pasc.</i>	441	Polydus, <i>Pasc.</i>	459
— pulchella, <i>Pasc.</i>	441	— dumosus, <i>Pasc.</i>	459
— punctata, <i>Pasc.</i>	442	Poropterus approximatus, <i>Pasc.</i>	191
Ozoctenus, <i>Pasc.</i>	174	— bisignatus, <i>Pasc.</i>	484
— jubaatus, <i>Pasc.</i>	175	— ellipticus, <i>Pasc.</i>	189
Ozopherus, <i>Pasc.</i>	473	— exitiosus, <i>Pasc.</i>	189
— muricatus, <i>Pasc.</i>	474	— flexuosus, <i>Pasc.</i>	190
Pachyrhynchus argus, <i>Pasc.</i>	154	— foveipennis, <i>Pasc.</i>	484
— cingulatus, <i>Pasc.</i>	155	— hariolus, <i>Pasc.</i>	191
— congestus, <i>Pasc.</i>	155	— mastoideus, <i>Pasc.</i>	190
— inclytus, <i>Pasc.</i>	155	— morbillosus, <i>Pasc.</i>	190
— pinorum, <i>Pasc.</i>	156	— musculus, <i>Pasc.</i>	483
Pæpalosomus zonatus, <i>Pasc.</i>	168	— porrigineus, <i>Pasc.</i>	483
Panopides, <i>Pasc.</i>	200	— sphacelatus, <i>Pasc.</i>	191
— anticus, <i>Pasc.</i>	201	— verres, <i>Pasc.</i>	192
Pantoreites vittatus, <i>Pasc.</i>	451	— Waterhousii, <i>Pasc.</i>	189
Paratrachys, <i>E. Saund.</i>	523	Potts, T. H. Notes on <i>Keropia crassirostris</i> , Gml. ("Piopio")	505
— hederæ, <i>E. Saund.</i>	523	Proctarrelabris, <i>Lefebvre</i>	270
Pascoc, F. P. Contributions towards a knowledge of the Curculionidæ	154, 440	— annulicornis, <i>Burm.</i>	270
Pearls, On the formation of British, and their possible improvements, by Robert Garner	426	Protocerius fervidus, <i>Pasc.</i>	216
Peliobia, <i>Pasc.</i>	456	Pseudonema, <i>M^r Lach.</i>	128
— geniculata, <i>Pasc.</i>	457	Psidiopsis, <i>Pasc.</i>	443
Perichæta antarctica, <i>Baird</i>	96	— filicornis, <i>Pasc.</i>	444
— Sanctæ-Helenæ, <i>Baird</i>	96	Ptosima chinensis, <i>Mars.</i>	512
Perichius, <i>Pasc.</i>	186	Ptynx, <i>Lefebvre</i>	238
— verrucosus, <i>Pasc.</i>	186	— appendiculatus, <i>Fab.</i>	239
Perissoneura, <i>M^r Lach.</i>	119	— juvenilis, <i>M^r Lach.</i>	239
— paradoxa, <i>M^r Lach.</i>	120	Puer, <i>Lefebvre</i>	272
Perissops, <i>Pasc.</i>	193	— maculatus, <i>Olivier</i>	272
		Rebius, <i>Pasc.</i>	203
		— latifasciatus, <i>Pasc.</i>	203
		Rhinotia corallina, <i>Pasc.</i>	458
		Saginesis, <i>Pasc.</i>	452
		— latipennis, <i>Pasc.</i>	452
		Sambus quadricolor, <i>E. Saund.</i>	513

	Page		Page
Saunders, Edward. Descriptions of Buprestidae collected in Japan by George Lewis, Esq.	509	Syrichius frontalis, <i>Pasc.</i>	208
Saurus indicus, <i>Day</i>	526	— proletarius, <i>Pasc.</i>	208
Scatophagus argus, <i>Linn.</i>	524	— roridus, <i>Pasc.</i>	207
Scolithus, <i>Pasc.</i>	171	— servulus, <i>Pasc.</i>	208
— acuminatus, <i>Pasc.</i>	172	Telonica, <i>Pasc.</i>	444
Seleuca, <i>Pasc.</i>	173	— ncbulosa, <i>Pasc.</i>	445
— amicta, <i>Pasc.</i>	173	— sublimbata, <i>Pasc.</i>	445
— leucospila, <i>Pasc.</i>	173	Textrix Moggridgii, <i>Cambridge</i>	537
Semolina, <i>Pasc.</i>	464	Thanatus mundus, <i>Cambridge</i> . .	543
— triangulum, <i>Pasc.</i>	464	Theleproctophylla, <i>Lefebvre</i> . . .	260
Serranus occanus, <i>Lacép.</i>	524	— barbara, <i>Linn.</i>	260
Setocelus argentifera, <i>M'Lach.</i> . .	129	Therebus, <i>Pasc.</i>	480
Siphlocerus, <i>M'Lach.</i>	260	— cepuroides, <i>Pasc.</i>	480
— nimius, <i>Walk.</i>	261	Timareta, <i>Pasc.</i>	445
Siphonostoma antarcticum, <i>Baird.</i>	95	— figurata, <i>Pasc.</i>	446
Siteytes glabratus, <i>Pasc.</i>	157	— satellina, <i>Pasc.</i>	446
Skeleton of the Apteryx, On the, by Thomas Allis	523	Tinodes consueta, <i>M'Lach.</i> . . .	138
Smicridea, <i>M'Lach.</i>	134	Tiphaura, <i>Pasc.</i>	164
— fasciata, <i>M'Lach.</i>	136	— funerea, <i>Pasc.</i>	164
— murina, <i>M'Lach.</i>	137	Tmesibasis, <i>M'Lach.</i>	242
— saucia, <i>M'Lach.</i>	137	— lacerata, <i>Hagen</i>	242
Smith, F. A catalogue of the acu- late Hymenoptera and Ichneu- monidae of India and the Eastern Archipelago	285	Trachys auricollis, <i>E. Saund.</i> . .	520
Solenopus bilineatus, <i>Pasc.</i> . . .	475	— cupricolor, <i>E. Saund.</i>	521
— transversalis, <i>Pasc.</i>	475	— elegantula, <i>E. Saund.</i>	520
Spiders, On some new species of European, by Rev. O. P. Cam- bridge	530	— griseofasciata, <i>E. Saund.</i> . . .	521
Stenophylax gentilis, <i>M'Lach.</i> . .	108	— grisconigra, <i>E. Saund.</i>	520
— limbatus, <i>M'Lach.</i>	108	— inconspicua, <i>E. Saund.</i>	522
Stenopsyche, <i>M'Lach.</i>	134	— inedita, <i>E. Saund.</i>	522
— griseipennis, <i>M'Lach.</i>	134	— Lewisii, <i>E. Saund.</i>	519
Styanax, <i>Pasc.</i>	164	— robusta, <i>E. Saund.</i>	521
— carbonarius, <i>Pasc.</i>	165	— variolaris, <i>E. Saund.</i>	521
Suphalasea, <i>Lefebvre</i>	253	Trichopterous insects, On new forms, &c., of extra-European, by Robert M'Lachlan	98
— abdominalis, <i>M'Lach.</i>	258	Trimen, Roland. Notes on the geographical distribution and dispersion of insects	276
— africana, <i>M'Lach.</i>	259	Triton cristatus, or Great Water- Newt, Observations on the cuta- neous exudation of the, by Miss Eleanor Ormerod	493
— Caledon, <i>M'Lach.</i>	258	Ulula, <i>Rambur</i>	246
— cephalotes, <i>M'Lach.</i>	258	— ampla, <i>M'Lach.</i>	248
— Dietrichie, <i>Brauer</i>	256	— aurifera, <i>M'Lach.</i>	249
— difformis, <i>M'Lach.</i>	257	— avunculus, <i>Hagen</i>	247
— flavipes, <i>Leach</i>	254	— cajennensis, <i>Fab.</i>	247
— importuna, <i>Walk.</i>	255	— chlorops, <i>Blanchard</i>	248
— inconspicua, <i>M'Lach.</i>	256	— hyalina, <i>Latreille</i>	246
— magna, <i>M'Lach.</i>	256	— limbata, <i>Burm.</i>	248
— malayana, <i>M'Lach.</i>	257	— Macleayana, <i>Guilding</i>	247
— sabulosa, <i>Walk.</i>	256	— mexicana, <i>M'Lach.</i>	248
— subtrahens, <i>Walk.</i>	255	— microcephala, <i>Rambur</i>	247
— Wilsoni, <i>M'Lach.</i>	255	— quadripunctata, <i>Burm.</i>	247
Sybulus, <i>Pasc.</i>	202	— vetula, <i>Rambur</i>	248
— incensus, <i>Pasc.</i>	202		
— pecuarius, <i>Pasc.</i>	202	Wallace, A. R. Introductory re- marks to F. Smith's Catalogue	
Syrichius, <i>Pasc.</i>	207		
— dissipatus, <i>Pasc.</i>	208		

	Page		Page
of the aculate Hymenoptera and Ichneumonidae of India and the Eastern Archipelago	285	Xysticus Pavessii, <i>Cambridge</i> . . .	540
Water-Newt, Observations on the cutaneous exudation of the <i>Triton</i> <i>cristatus</i> , or Great, by Miss Eleanor Ormerod	493	<i>Zeiona, Pasc.</i>	179
<i>Xysticus defectus, Cambridge</i> . . .	541	— <i>pulchella, Pasc.</i>	179
		<i>Zeopus, Pasc.</i>	460
		— <i>storeoides, Pasc.</i>	460
		<i>Zeugenia, Pasc.</i>	197
		— <i>figurata, Pasc.</i>	197
		— <i>histrionica, Pasc.</i>	198
		— <i>histrionica, Pasc.</i>	198

END OF THE ELEVENTH VOLUME.